

Transport POD



Transport Company : PT. XPRESINDO LOGISTIK UTAMA

Dangerous Goods

Normal

Delivery Address : DS Wonosari, Kec. Mesuji Tim., Kabupaten Mesuji, Lampung 34697

RAD : 2026-05-27 11:30:00

Purpose of delivery To site(HW delivery)

Tender No. : MTM2026041600254

Site : WONOSARI_MESUJI

Site Address : DS Wonosari, Kec. Mesuji Tim., Kabupaten Mesuji, Lampung 34697

WH/ Pick up Address: MM2100 Industrial Town, Jl. Kalimantan Blok G-2 Desa Gandamekar, Cikarang Barat, Bekasi 17845, West Java, Indonesia

DN No.	Loading Box Qty	DN Box Qty	DN No.	Loading Box Qty	DN Box Qty
DID1202604150251	30	30			

Loaded Box Qty : 30

Total Loaded Weight(KG) : 404.3453

Total Loaded Vol. (CBM) : 3.608

Truck Type	CD4	Truck No.	B 9015 FYY	Driver Name	IBRAHIM
------------	-----	-----------	------------	-------------	---------

Mark

WH Sign	LSP Transporter/Driver/Mover	Receiver(X-Docking)	Receiver(Subcon)	Receiver(Site)
 Signature: <u>[Signature]</u> Date: <u>16-4-26</u> Central WH: ID1_JK_BS <u>Sino</u>	Signature: <u>[Signature]</u> Date: <u>16-4-26</u> Carrier/Pickup by: <u>XPRES</u> <u>UBGT ASOBYU</u>	Signature: <u>[Signature]</u> Date: <u>18-09-2021</u> Subcon: <u>Apres</u>	Signature: _____ Date: _____ Subcon: _____	Signature: <u>[Signature]</u> Date: <u>29.09.26</u> Subcon: <u>PoCA</u> <u>0322 GRCU 9459</u>

Delivery List

Truck Type

Truck No.

Receiver: **Ryan Gustiawan**

Tel: 08194801948

Delivery Address: **DS Wonosari, Kec. Mesuji Tim., Kabupaten Mesuji, Lampung 34697**



DID1202604150251

Pick Up Address: **MM2100 Industrial Town, Jl. Kalimantan Blok G-2 Desa Gandamekar, Cikarang Barat, Bekasi 17845, West Java, Indonesia**

Delivery Purpose: **To site(HW delivery)**

RAD: **2026-05-27 10:30:00**

RSD: **2026-05-25 10:30:00**

PO No.:

Contract No. : **0003602643570F**

Pickup Person:

DU ID:

608330739

DU Name:

SUM-LA-MSJ-0021_MOCN_WLNO

Integrate Packing Qty:

Total Box Qty: **30**




Total Item Type : **44**

Total Weight(KG): **404.35**

Total Vol.(CBM): **3.61**

Integrate Packing No.	Box No.	Item No.	QTY	Danger	Need Verify	Item Description	WHS	LSP	RCVR
	DID1202604150251B01	02315KNR	1PCS	✓	Y	RRU5526,WD5MZAACJFV,(TX869-879MHz/RX824-834MHz, TX758-803MHz/RX703-748MHz,-48VDC,25G,4T4R*2,4*120W)			
	DID1202604150251B02	02315KNR	1PCS	✓	Y	RRU5526,WD5MZAACJFV,(TX869-879MHz/RX824-834MHz, TX758-803MHz/RX703-748MHz,-48VDC,25G,4T4R*2,4*120W)			
	DID1202604150251B03	04130700-003	8PCS	✓		RF Jumper,6m,4.3-10SM,COAX50-8.7/3.55,4.3-10SM,1/2 Inch Superflexible Jumper			
	DID1202604150251B04	04130700-003	8PCS	✓		RF Jumper,6m,4.3-10SM,COAX50-8.7/3.55,4.3-10SM,1/2 Inch Superflexible Jumper			
	DID1202604150251B05	02314WHF	1PCS	✓	Y	Function Module,iIOT-WEC01C5,iIOT-WEC01C5, Intelligent IoT Gateway,without LTE Communication			
	DID1202604150251B05	27150247	3PCS	✓		Antenna Installation Accessories,Downtilt Kit-D			
	DID1202604150251B06	27150086	40PCS	✓		Cable Installation Accessories,Cable Fixing Clamp,6 Runs(2x3 stacks),C Type Bracket,for Optical Cable + 3.3/4/6/8.3mm*2 RRU Power Cable			
	DID1202604150251B07	27150086	40PCS	✓		Cable Installation Accessories,Cable Fixing Clamp,6 Runs(2x3 stacks),C Type Bracket,for Optical Cable + 3.3/4/6/8.3mm*2 RRU Power Cable			
	DID1202604150251B08	27150086	40PCS	✓		Cable Installation Accessories,Cable Fixing Clamp,6 Runs(2x3 stacks),C Type Bracket,for Optical Cable + 3.3/4/6/8.3mm*2 RRU Power Cable			
	DID1202604150251B09	27150086	18PCS	✓		Cable Installation Accessories,Cable Fixing Clamp,6 Runs(2x3 stacks),C Type Bracket,for Optical Cable + 3.3/4/6/8.3mm*2 RRU Power Cable			
	DID1202604150251B10	02234AMF	1PCS	✓	Y	SubassemblyAccessories,Hert,GPS Antenna Package (Without Arrester)-Support 2.0			
	DID1202604150251B10	27151463	3PCS	✓		Antenna RET Component,AISU00004v01,Antenna Information Sensor Unit,10-30V,AISG			
	DID1202604150251B11	02123490	1PCS	✓	Y	Power Distribution Box,DCDU17E,WD2E03DCDU,-48V,NA,250A,10,250A,Low Voltage Direct Current, DC Power Distribution Unit,6x50A Circuit Breaker and 4x30A Fuse(4 PCS Small Terminal)			
	DID1202604150251B12	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B13	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B14	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B15	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B16	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B17	14130648	1PCS	✓		Optical Cable Parts,DLC/UPC,DLC/UPC,single mode,100m,2 cores,0.03m/0.34m,GYFJH-2G, 657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B18	28010521	40PCS	✓		Isolation Material,Cold shrink tube-Wireless only, Grey,Cold Shrink Sealing Sleeve,Grey,Silicone Rubber,for DIN&4.3-10 type Connectors,with Instruction,Shelf life 1 year			
	DID1202604150251B19	02237428	5PCS	✓		MPE Site Materials Kit,DBS Antenna Feeder Installation Auxiliary Kit Per Sector,General Area			
	DID1202604150251B19	04130700-003	4PCS	✓		RF Jumper,6m,4.3-10SM,COAX50-8.7/3.55,4.3-10SM,1/2 Inch Superflexible Jumper			
	DID1202604150251B19	14130777	1PCS	✓		Optical Cable Parts,DLC/UPC,2LC/UPC,single mode,20m,2 cores,0.34m/0.8m,GYFJH-2G,657A2, 7.0mm,2mm,LSZH,Armored branch			
	DID1202604150251B20	02232PAN	2PCS	✓		MPE Site Materials Kit,Site Auxiliary Material Kit,For BBU5900			
	DID1202604150251B20	02232PAP	2PCS	✓		MPE Site Materials Kit,Site Color Coding Auxiliary Material Kit,Color Coding			
	DID1202604150251B20	02232RRK	1PCS	✓		MPE Site Materials Kit,Outdoor Power System Generic Delivery Accessories Package,Outdoor Power System,-WW			
	DID1202604150251B20	04023275	1PCS	✓		Traditional Signal Cable,Straight Through Cable, 10.00m,MP8-I,(CC4P0.5GY),MP8-I,Unshield, DL2761			
	DID1202604150251B20	04050228	3PCS	✓		Traditional Signal Cable,AISG Cable,5m,RC8SM(S)-I,24/18AWG UL2464 (1P+4C)B,RC8SF(S)-I			

Integrate Packing No.	Box No.	Item No.	QTY	Danger	Need Verify	Item Description	WHS	LSP	RCVR
	DID1202604150251B20	04070009	1PCS	✓		Traditional Signal Cable,5m			
	DID1202604150251B20	04070013	1PCS	✓		Traditional Signal Cable,20m			
	DID1202604150251B20	04070097	3PCS	✓		Traditional Signal Cable,AISG Communication cable,5m,D9M+D9(PS)(W),CC4P0.5PB(S),RC8SF(S)-I			
	DID1202604150251B20	04152214	1PCS	✓		Power Cable,0.7m,Blue/Black,HDEPC,2*H07Z-K-4*2BL+2*H07Z-K-4*2B,BBU5900 Power Cable,LSZH			
	DID1202604150251B20	14170020	4PCS	✓		Naked Crimping Terminal,OT,16mm^2,M6,Tin Plating,Naked Ring Terminal			
	DID1202604150251B20	14170023	2PCS	✓		Naked Crimping Terminal,OT,6mm^2,M6,Tin Plating,Insulated Ring Terminal,12~10AWG,yellow			
	DID1202604150251B20	16020596	2PCS	✓		Air-break Switch,MCB-AC 220V or DC 48V-125A-1Pole-10KA-For Indonesia			
	DID1202604150251B20	27150111	3PCS	✓		Ground Clip			
	DID1202604150251B20	29080025	1PCS	✓		MBTS DBS Cable Suite Label			
	DID1202604150251B20	29080383	3PCS	✓		Cable Label-RF Jumper Label For Indonesia - XLS Project			
	DID1202604150251B20	34060290	1PCS	✓	Y	Low Speed Transceiver,eSFP,1310nm,1.25Gb/s,-9dBm,-3dBm,-19dBm,LC-(40-85),10km			
	DID1202604150251B20	34060713	10PCS	✓	Y	XFP SFP+ Transceiver,SFP+,1310nm,9.8G,-8.2dBm,0.5dBm,-10.3dBm,LC,SM,1.4km			
	DID1202604150251B20	34063077	1PCS	✓	Y	XFP SFP+ Transceiver,SFP+,1310nm,10.3125Gb/s,-3dBm,3dBm,-14.4dBm,LC,SM,10km			
	DID1202604150251B20	45030036	1PCS	✓	Y	Fixed Optical Attenuator,1260nm~1620nm,7dB,LC/PC,45dB			
	DID1202604150251B21	25033329	240M	✓	Y	Electronic Electric Cable,600V,UL2586,2x8AWG,Black(2Cores:Blue,Black),D,Shielding Outdoor Cable,UL			
	DID1202604150251B22	25070009	30M	✓	Y	Coaxial Cable,1/2.74mm 50ohm,10.16mm,7.24mm,0mm,International type:RG-8U			
	DID1202604150251B23	28010283	45M	✓		Isolation Material,Flexible metal conduit-PVC/Steel-D25-Outdoor-Black			
	DID1202604150251B24	25035221	160M	✓	Y	Electronic Electric Cable,600V,UL2586,2x16mm^2(2x6AWG)-D,Black(2Cores:Blue,Black),Shielding Outdoor Cable,UL			
	DID1202604150251B25	25030425	20M	✓	Y	Electronic Electric Cable,600V/1000V,ZA-RVV,4x16mm^2,Black(4Cores:Red,Yellow,Green,Black),85A,CE			
	DID1202604150251B26	25030429	38M	✓	Y	Electronic Electric Cable,450V/750V,60227 IEC 02 (RV),16mm^2,Yellow/Green,85A,CCC,CE			
	DID1202604150251B27	25030393	7M	✓	Y	Electronic Electric Cable,300V/500V,60227 IEC 53 (RVV),2x0.75mm^2,Black(2Cores:Brown,Blue),6A,Flat Outdoor Cable,CCC,CE			
	DID1202604150251B27	25030639	2M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,16mm^2,Black,107A,LSZH Cable,VDE,UL			
	DID1202604150251B27	25030699	6M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,6mm^2,Yellow/Green,58A,LSZH Cable,VDE,UL			
	DID1202604150251B27	25030722	2M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,16mm^2,Red,107A,LSZH Cable,VDE,UL			
	DID1202604150251B27	25031106	10M	✓	Y	Electronic Electric Cable,Power Cable-450/750V-NYAF-1 Core-35mm^2-Black-156A-For Indonesia			
	DID1202604150251B27	25031107	10M	✓	Y	Electronic Electric Cable,Power Cable-450/750V-NYAF-1 Core-35mm^2-Blue-156A-For Indonesia			
	DID1202604150251B28	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			
	DID1202604150251B29	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			
	DID1202604150251B30	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			

	WH Sign	LPS Transporter/Driver/Mover	X-Docking	Receiver
	 Signature/Date: Central WH : ID1 JK BS	 Signature/Date/Carrier/Pick up by:	 Signature/Date/XD:	 Signature/Date/Company:

We may collect your name, telephone number, license plate number, Authoritative Social Identification Number and other personal information for the purpose of identity confirmation and goods signing. We will adopt reasonable security measures to protect your personal information and dispose of it in accordance with laws, regulations and contract requirements. You can query the full version of the privacy statement at <https://isc.huawei.com> or on the iSupply mobile client.

5110