

Transport POD



Transport Company : PT. Xpresindo Logistik Utama

Dangerous Goods

Normal

Delivery Address : Wira Bangun, Kec. Simpang Pematang, Kabupaten Mesuji, Lampung 34698.

RAD : 2026-06-13 06:00:00

Purpose of delivery To site(HW delivery)

Tender No. : MTM2026051504223

Site : WIRA_BANGUN

Site Address : Wira Bangun, Kec. Simpang Pematang, Kabupaten Mesuji, Lampung 34698.

WH/ Pick up Address: Jl. Bypass Alang-Alang Lebar, Alang Alang Lebar, Kec. Alang-Alang Lebar, Kota Palembang, Sumatera Selatan 30961

DN No.	Loading Box Qty	DN Box Qty	DN No.	Loading Box Qty	DN Box Qty
DID1202605140108	30	30			



Loaded Box Qty : 30

Total Loaded Weight(KG) : 363.6379

Total Loaded Vol. (CBM) : 2.8564

Truck Type	PICK-UP	Truck No.	BG 8759 JL	Driver Name	FIRMAN
------------	---------	-----------	------------	-------------	--------

Mark

WH Sign	LSP Transporter/Driver/Mover	Receiver(X-Docking)	Receiver(Subcon)	Receiver(Site)
 Signature: <u>Dener</u> Date: <u>16. 5. 26</u> Central WH: ID1_PLB_ID <u>0830220606</u>	 Signature: <u>Indi-s</u> Date: <u>16/5/26</u> Carrier/Pickup by: <u>08536267708</u> <u>xpres</u>	 Signature: <u>Dimer</u> Date: <u>18-05-2026</u> Subcon: <u>xpres</u>	 Signature: <u>[Signature]</u> Date: <u>22. 05. 2026</u> Subcon: <u>EXPRES- MUR- 08437080804</u>	 Signature: <u>ZUPAN</u> Date: <u>22/05/2026</u> Subcon: <u>PT. POCA</u> <u>084163191833</u>

Delivery List

Truck Type

Truck No.

Receiver: **Ryan Gustiawan**

Tel: 08194801948

Delivery Address: **Wira Bangun, Kec. Simpang Pematang, Kabupaten Mesuji, Lampung 34698.**



DID1202605140108

Pick Up Address: **Jl. Bypass Alang-Alang Lebar, Alang Alang Lebar, Kec. Alang-Alang Lebar, Kota Palembang, Sumatera Selatan 30961**

Delivery Purpose: **To site(HW delivery)**

RAD: **2026-06-13 05:00:00**

RSD: **2026-06-11 05:00:00**

PO No.:

Contract No. : **0003602643570F**

Pickup Person:

DU ID:

609120792

DU Name:

SUM-LA-MSJ-0041_MOCN_WLNO

Integrate Packing Qty:

Total Box Qty: **30**


Total Item Type : **46**

Total Weight(KG): **363.64**

Total Vol.(CBM): **2.86**

Integrate Packing No.	Box No.	Item No.	QTY	Danger	Need Verify	Item Description	WHS	LSP	RCVR
	DID1202605140108B01	02311VFF	1PCS	✓	Y	Function Module, BBU5900, WD2B1BBU7, Distributed Base Station Base Band Unit(-48V)			
	DID1202605140108B02	27150086	40PCS	✓		Cable Installation Accessories, Cable Fixing Clamp, 6 Runs(2x3 stacks), C Type Bracket, for Optical Cable + 3.3/4/6/8.3mm ² RRU Power Cable			
	DID1202605140108B03	27150086	40PCS	✓		Cable Installation Accessories, Cable Fixing Clamp, 6 Runs(2x3 stacks), C Type Bracket, for Optical Cable + 3.3/4/6/8.3mm ² RRU Power Cable			
	DID1202605140108B04	27150086	40PCS	✓		Cable Installation Accessories, Cable Fixing Clamp, 6 Runs(2x3 stacks), C Type Bracket, for Optical Cable + 3.3/4/6/8.3mm ² RRU Power Cable			
	DID1202605140108B05	27150086	24PCS	✓		Cable Installation Accessories, Cable Fixing Clamp, 6 Runs(2x3 stacks), C Type Bracket, for Optical Cable + 3.3/4/6/8.3mm ² RRU Power Cable			
	DID1202605140108B06	04130700-003	8PCS	✓		RF Jumper, 6m, 4.3-10SM, COAX50-8.7/3.55, 4.3-10SM, 1/2 Inch Superflexible Jumper			
	DID1202605140108B07	04130700-003	8PCS	✓		RF Jumper, 6m, 4.3-10SM, COAX50-8.7/3.55, 4.3-10SM, 1/2 Inch Superflexible Jumper			
	DID1202605140108B08	04130700-003	4PCS	✓		RF Jumper, 6m, 4.3-10SM, COAX50-8.7/3.55, 4.3-10SM, 1/2 Inch Superflexible Jumper			
	DID1202605140108B09	28010521	31PCS	✓		Isolation Material, Cold shrink tube-Wireless only, Grey, Cold Shrink Sealing Sleeve, Grey, Silicone Rubber, for DIN&4.3-10 type Connectors, with Instruction, Shelf life 1 year			
	DID1202605140108B10	14130648	1PCS	✓		Optical Cable Parts, DLC/UPC, DLC/UPC, single mode, 100m, 2 cores, 0.03m/0.34m, GYFJH-2G. 657A2, 7.0mm, 2mm, LSZH, Armored branch			
	DID1202605140108B11	14130648	1PCS	✓		Optical Cable Parts, DLC/UPC, DLC/UPC, single mode, 100m, 2 cores, 0.03m/0.34m, GYFJH-2G. 657A2, 7.0mm, 2mm, LSZH, Armored branch			
	DID1202605140108B12	14130648	1PCS	✓		Optical Cable Parts, DLC/UPC, DLC/UPC, single mode, 100m, 2 cores, 0.03m/0.34m, GYFJH-2G. 657A2, 7.0mm, 2mm, LSZH, Armored branch			
	DID1202605140108B13	14130648	1PCS	✓		Optical Cable Parts, DLC/UPC, DLC/UPC, single mode, 100m, 2 cores, 0.03m/0.34m, GYFJH-2G. 657A2, 7.0mm, 2mm, LSZH, Armored branch			
	DID1202605140108B14	14130648	1PCS	✓		Optical Cable Parts, DLC/UPC, DLC/UPC, single mode, 100m, 2 cores, 0.03m/0.34m, GYFJH-2G. 657A2, 7.0mm, 2mm, LSZH, Armored branch			
	DID1202605140108B15	02315KNR	1PCS	✓	Y	RRU5526, WD5MZAACJFV, (TX869-879MHz/RX824-834MHz, TX758-803MHz/RX703-748MHz, -48VDC, 25G, 4T4R*2, 4*120W)			
	DID1202605140108B16	02315KNR	1PCS	✓	Y	RRU5526, WD5MZAACJFV, (TX869-879MHz/RX824-834MHz, TX758-803MHz/RX703-748MHz, -48VDC, 25G, 4T4R*2, 4*120W)			
	DID1202605140108B17	27150247	3PCS	✓		Antenna Installation Accessories, Downtilt Kit-D			
	DID1202605140108B17	27151463	3PCS	✓		Antenna RET Component, AISU00004v01, Antenna Information Sensor Unit, 10~30V, AISG			
	DID1202605140108B18	02123490	1PCS	✓	Y	Power Distribution Box, DCDU17E, WD2E03DCDU, -48V, NA, 250A, 10, 250A, Low Voltage Direct Current, DC Power Distribution Unit, 6x50A Circuit Breaker and 4x30A Fuse(4 PCS Small Terminal)			
	DID1202605140108B18	02234AMF	1PCS	✓	Y	Subassembly/Accessories, HERT, GPS Antenna Package (Without Arrester)-Support 2.0			
	DID1202605140108B18	02314WHF	1PCS	✓	Y	Function Module, IIOT-WEC01C5, IIOT-WEC01C5, Intelligent IoT Gateway, without LTE Communication			
	DID1202605140108B18	03050QUF	1PCS	✓	Y	UBBPg1b, WD21UBBPg1b, Universal Baseband Processing and Interface Unit g1b			
	DID1202605140108B18	03058737	1PCS	✓	Y	Finished Board Unit, HERT BBU, WD22UMPTg2, Universal Main Processing & Transmission Unit (2 Electrical FE/GE&2 Optical GE/XGE/YGE, UMPg2), With LMA			
	DID1202605140108B19	02232PAN	2PCS	✓		MPE Site Materials Kit, Site Auxiliary Material Kit, For BBU5900			
	DID1202605140108B19	02232PAP	2PCS	✓		MPE Site Materials Kit, Site Color Coding Auxiliary Material Kit, Color Coding			
	DID1202605140108B19	02232RRK	1PCS	✓		MPE Site Materials Kit, Outdoor Power System Generic Delivery Accessories Package, Outdoor Power System, -WW			
	DID1202605140108B19	02237428	4PCS	✓		MPE Site Materials Kit, DBS Antenna Feeder Installation Auxiliary Kit Per Sector, General Area			
	DID1202605140108B19	04050228	3PCS	✓		Traditional Signal Cable, AISG Cable, 5m, RC8SM(S)-I, 24/18AWG UL2464 (1P+4C)B, RC8SF(S)-I			
	DID1202605140108B19	04070009	1PCS	✓		Traditional Signal Cable, 5m			

Integrate Packing No.	Box No.	Item No.	QTY	Danger	Need Verify	Item Description	WHS	LSP	RCVR
	DID1202605140108B19	04070013	2PCS	✓		Traditional Signal Cable,20m			
	DID1202605140108B19	04070097	3PCS	✓		Traditional Signal Cable,AISG Communication cable,5m,D9M+D9(PS)(W),CC4P0.5PB(S),RC8SF(S)-I			
	DID1202605140108B19	04132457	3PCS	✓		RF Jumper,0.5m,MQ4SF-I,4*COAX50-4.7/1.9B-I,4*4.3-10SF-I,1/4 Inch Superflexible Jumper			
	DID1202605140108B19	04152214	1PCS	✓		Power Cable,0.7m,Blue/Black,HDEPC,2*H07Z-K-4*2BL+2*H07Z-K-4*2B,BBU5900 Power Cable,LSZH			
	DID1202605140108B19	14130777	1PCS	✓		Optical Cable Parts,DLC/UPC,2LC/UPC,single mode,20m,2 cores,0.34m/0.8m,GYFJH-2G.657A2,7.0mm,2mm,LSZH,Armored branch			
	DID1202605140108B19	14170020	4PCS	✓		Naked Crimping Terminal,OT,16mm^2,M6,Tin Plating,Naked Ring Terminal			
	DID1202605140108B19	14170023	2PCS	✓		Naked Crimping Terminal,OT,6mm^2,M6,Tin Plating,Insulated Ring Terminal,12~10AWG,yellow			
	DID1202605140108B19	16020596	2PCS	✓		Air-break Switch,MCB-AC 220V or DC 48V-125A-1Pole-10KA-For Indonesia			
	DID1202605140108B19	27150111	2PCS	✓		Ground Clip			
	DID1202605140108B19	29080025	1PCS	✓		MBTS DBS Cable Suite Label			
	DID1202605140108B19	29080383	3PCS	✓		Cable Label-RF Jumper Label For Indonesia - XLS Project			
	DID1202605140108B19	34060290	1PCS	✓	Y	Low Speed Transceiver,eSFP,1310nm,1.25Gb/s,-9dBm,-3dBm,-19dBm,LC(-40~85),10km			
	DID1202605140108B19	34060713	8PCS	✓	Y	XFP SFP+ Transceiver,SFP+,1310nm,9.8G,-8.2dBm,0.5dBm,-10.3dBm,LC,SM,1.4km			
	DID1202605140108B19	34063077	1PCS	✓	Y	XFP SFP+ Transceiver,SFP+,1310nm,10.3125Gb/s,-3dBm,3dBm,-14.4dBm,LC,SM,10km			
	DID1202605140108B19	45030036	1PCS	✓	Y	Fixed Optical Attenuator,1260nm~1620nm,7dB,LC/PC,45dB			
	DID1202605140108B20	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			
	DID1202605140108B21	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			
	DID1202605140108B22	27014739	1PCS	✓	Y	Directional Antenna,D04X-2x690-960/2x1695-2690-4x65-2x17i/2x18i-4xM-R,8*4.3-10 Female,Downtilt kit 27150247 packed separately			
	DID1202605140108B23	25030393	7M	✓	Y	Electronic Electric Cable,300V/500V,60227 IEC 53 (RVV),2x0.75mm^2,Black(2Cores:Brown,Blue),6A,Flat Outdoor Cable,CCC,CE			
	DID1202605140108B23	25030639	2M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,16mm^2,Black,107A,LSZH Cable,VDE,UL			
	DID1202605140108B23	25030699	6M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,6mm^2,Yellow/Green,58A,LSZH Cable,VDE,UL			
	DID1202605140108B23	25030722	2M	✓	Y	Electronic Electric Cable,450V/750V,H07Z-K UL3386,16mm^2,Red,107A,LSZH Cable,VDE,UL			
	DID1202605140108B24	25030429	32M	✓	Y	Electronic Electric Cable,450V/750V,60227 IEC 02 (RV),16mm^2,Yellow/Green,85A,CCC,CE			
	DID1202605140108B25	25030425	25M	✓	Y	Electronic Electric Cable,600V/1000V,ZA-RVV,4x16mm^2,Black(4Cores:Red,Yellow,Green,Black),85A,CE			
	DID1202605140108B26	25035221	340M	✓	Y	Electronic Electric Cable,600V,UL2586,2x16mm^2 (2x6AWG)-D,Black(2Cores:Blue,Black),Shielding Outdoor Cable,UL			
	DID1202605140108B27	25070009	30M	✓	Y	Coaxial Cable,1/2.74mm 50ohm,10.16mm,7.24mm,0mm,International type:RG-8U			
	DID1202605140108B28	25031107	10M	✓	Y	Electronic Electric Cable,Power Cable-450/750V-NYAF-1 Core-35mm^2-Blue-156A-For Indonesia			
	DID1202605140108B29	25031106	10M	✓	Y	Electronic Electric Cable,Power Cable-450/750V-NYAF-1 Core-35mm^2-Black-156A-For Indonesia			
	DID1202605140108B30	28010283	40M	✓		Isolation Material,Flexible metal conduit-PVC/Steel-D25-Outdoor-Black			

WH Sign	LPS Transporter/Driver/Mover	X-Docking	Receiver
 Denis Signature/Date: Central WH : ID1_PLB_ID 16/26	 Tedi Signature/Date/Carrier/Pick up by: 16/26	 Dimas Signature/Date/XD: 18-05-2026	 ZUPHAN Signature/Date/Company: 22/05/2022 PT. POCA

We may collect your name, telephone number, license plate number, Authoritative Social Identification Number and other personal information for the purpose of identity confirmation and goods signing. We will adopt reasonable security measures to protect your personal information and dispose of it in accordance with laws, regulations and contract requirements. You can query the full version of the privacy statement at <https://isc.huawei.com> or on the iSupply mobile client.

0030 2240 6093

003 6069 7700

6021 6319 1093